National Center of HIV/AIDS, Dermatology and STD STI report from all specialized STI clinics Quarter 2 2012

ૹૹૹૹૹ૾ૡૡૡૡ

		Month 1	Month 2	Month 3
Total number of visits for male nationts	Total Male	1429	1454	1746
2Total number of visits for male patients	Total MSM	793	931	956
Total number of visits for low risk female patients		11144	13030	15933
Total number of first visits for non-brothel entertain (NBEW)	nment workers	1595	2140	2110
Total number of follow up visits for non-brothel ent workers (NBEW)	ertainment	1488	1425	1557
Total number of first visits for Brothel entertainmen	t worker (BEW)	26	29	72
Total number of follow up visits for Brothel entertai (BEW)	nment workers	36	40	61
Total number of NBEW transferred by EW Ne	2320	2578	2434	
Total number of BEW transferred by EW Netv	73	73	74	

Patients referred to other services

	Month 1	Month 2	Month 3
Total number of patients referred to VCCT	588	684	780
Total number of patients referred to OI/ART services (PLHA)	19	15	15
Total number of patients referred to ANC services	19	13	13
Total number of patients referred to Family Planning (FP) services	25	26	25

Patients referred from other services

r deleties referred <u>from</u> series services			
	Month 1	Month 2	Month 3
Total number of patients referred from VCCT	220	240	358
Total number of patients referred from OI/ART services	114	100	70
Total number of patients referred from ANC services	16	13	23
Total number of patients referred from Family Planning services	24	20	17

^{* -}Family Health Clinic =32 clinics

NOTE

OD: Operational District **DSWs**: Direct Sex Workers

EWs: Entertainment Workers: Karaoke, Massage parlors, beer garden, beer promotion, freelance sex workers ...

CUWG: Condom Use Working Group MSM: Men who have sex with men

VCCT: Voluntary Confidential Counseling and Testing

ANC: Antenatal Care

FP: Family

⁻Non Government: RHAC=17 clinics, MEC=1clinic, PSF=1 clinic

Men (new cases)									
			Age g	jroup			To	+-1	
	<1	L5	15-	-49	≥ .	50	Total		
Syndrome	Men	MSM	Men	MSM	Men	MSM	Men	MSM	
Urethral discharge	4	0	2786	473	142	1	2932	474	
Anal discharge	0	0	24	37	3	0	27	37	
Ano-Genital Ulcers	0	0	211	122	22	0	233	122	
Ano-Genital warts	0	0	127	54	2	0	129	54	
Scrotum swelling	0	0	23	11	0	0	23	11	
Inguinal bubo (LGV)	0	0	12	2	0	0	12	2	
Total new cases men	4	0	3183	699	169	1	3356	700	

Low risk women (new cases)										
//////////////////////////////////////										
Syndrome	<15	15-49	≥ 50	Total						
Vaginal discharge										
Vaginitis	214	34593	2404	37211						
cervicitis	1	1482	78	1561						
Vaginitis + cervicitis	5	4137	189	4331						
Pelvic Inflammatory Disease (PID)	0	186	11	197						
Ano-Genital ulcers	4	317	27	348						
Ano-Genital warts	0	134	2	136						
subtotal	224	40849	2711	43784						

		High-ri	sk Wo	men (n	ew cas	ses)			
		<:	15	15	-49	>	50	То	tal
		BEW	NBEW	BEW	NBEW	BEW	NBEW	BEW	NBEW
	Vaginal discharge								
	Vaginitis	0	1	61	2376	0	3	61	2380
	cervicitis	0	0	4	599	0	0	4	599
u	Vaginitis + cervicitis	0	0	18	1235	0	3	18	1238
rirst visit	Pelvic Inflammatory Disease (PID)	0	0	2	10	0	0	2	10
Ē	Ano-Genital ulcers	0	0	1	49	0	1	1	50
	Ano-Genital warts	0	0	1	45	0	0	1	45
	Syphilis (based on RPR +)	0	0	0	4	0	0	0	4
	Subtotal new cases first visit	0	1	87	4318	0	7	87	4326
	Vaginal discharge								
	Vaginitis	0	0	25	1138	0	0	25	1138
_	cervicitis	0	0	22	329	0	0	22	329
אופוע לוי	Vaginitis + cervicitis	0	0	21	537	0	0	21	537
	Pelvic Inflammatory Disease (PID)	0	0	1	2	0	0	1	2
2	Ano-Genital ulcers	0	0	0	21	0	0	0	21
	Ano-Genital warts	0	0	0	13	0	0	0	13
	Subtotal new cases FU	0	0	69	2040	0	0	69	2040

			By age group		
Syphil	is screening test for pregnant women	<15	15-49	>50	
Number qualitativ	of pregnant women who were tested by RPR ve	0	44	0	44
	Number of RPR test (+)	0	17	0	17
Number syphilis	of pregnant with RPR (+) who were treated for	0	17	0	17
	of pregnant women with syphilis infection who were y RPR quantitative (titre)	0	5	0	5
	Number of pregnant women who were tested by RPR – titre - baseline	0	0	0	0
	Number of pregnant women who were tested by RPR – titre – follow-up	0	3	0	3
	r of partner(s) of pregnant women who were for syphilis	0	12	0	12

Phnom Penh 22 August 2012
Seen and Approved
Director of NOHADS
SECTION OF NOHADS

Dr. Mean Chhi Vun,

Phnom Penh, 22 August 2012 Chief of Data Management Unit

Mr. Mam Sovatha

National Center of HIV/AIDS, Dermatology and STD STI report from Health Centers

(BASED ON SYNDROMIC APPROACH)

Quarter 2 2012

ຎຎຎຎ֍

		Month 1	Month 2	Month 3
Total number of visits for male patients		405	361	443
Total number of visits for female patien	ts	3053	2882	3374
Total number of visits for partners	Male	275	232	274
who were notified and treated.	Female	782	651	934

		Age group			
Syndrome	<15 15-49 ≥ 50		≥ 50	Total	
	Men (new c	ases)	•		
Urethral discharge	3	842	47	892	
Genital Ulcer	3	67	4	74	
Genital warts	0	5	0	5	
Total of new cases (men)	6	914	51	971	

Women (new cases)									
Vaginal discharge									
Vaginitis	20	4511	334	4865					
Vaginitis + cervicitis	116	3297	147	3560					
Pelvic Inflammatory Disease (PID)	5	276	6	287					
Genital ulcer	0	22	1	23					
Genital warts	0	1	0	1					
Total of new cases (women)	141	8107	488	8736					

	Month 1	Month 2	Month 3
Total number of STI/RTI patients referred to VCCT	377	428	380
Total number of STI/RTI patients referred to ANC services	3 7	63	48
Total number of STI/RTI patients referred to Family Planning (FP) services	36	59	53

Phnom Penh, 22 Aug 2012 Seen and Approved Director of CHADS

lean Chhi Vun

Phnom Penh, 22 Aug 2012 Chief of Data Management Unit

Phnom Penh, 22 Aug 2012 Checked by STI-RTI Unit

Mr. Mam Sovatha

Dr. Lon Say Heng

National Center of HIV/AIDS, Dermatology and STD Report STI/RTI total of Laboratory Quarter 2 2012

અઅઅઅઋ હ્યહાલહાલ

	Total number	WBC< 10	W	BC 10-25	WBC>25	
		1267		802	676	
Endocervical smear	2745	GNID** (-)	GN	VID** (+)	If performed by	
		1931		9	Gram Stain	
	Total number	<i>WBC</i> <5	T T	WBC≥5		
		284		80		
TI di l		ICD* (-)	I	CD* (+)	If performed by	
Urethral smear	364	6		0	Methylene Blue	
		GNID** (-)	GN	VID** (+)	If performed by	
		296		68	Gram Stain	
Anal smear	Total number	<i>WBC</i> < 5)	WBC≥5		
Aliai silicai	86	70		16		
			Trichon	nonas vagi	inalis	
	Total number	(-)			(+)	
		2000	2000		136	
X 7		Budding yeast/hyphae				
Vaginal smear Wet preparation		(-)			(+)	
The propulation	2136	1641			495	
				Clue cells		
		(-)			(+)	
		1503			633	
		N 7	37 4	BV	AT (>7	
	Total number	Nugent score: 0-3	_	score 4-	Nugent score≥7	
Vaginal smear Gram stain		861	48	84	828	
Gram statt	0.4 = 0		Buddin	g yeast/hy	phae	
	2173	(-)			(+)	
		1816			352	
Vaginal smear	Total number	≤ 4.5			> 4.5	
pH (vaginal)	0	0			0	
Vaginal smear	Total number	(-)			(+)	
Whiff test or Amine test	529	409		120		

^{*}The Laboratory's report number compiled from Family Health Clinic=17, MEC=1 and PSF=1

[•] ICD : Intra-cellular Diplococci , ** GNID : Gram Negative Intracellular Diplococci

RPR test	Total number	Qualitative	
		RPR (-)	RPR (+)
	834	772	62
ТРНА/ТРРА	Total number	θ	(+)
	1178	1146	32



Dr. Mean Chhi Vun

Phnom Penh 29 Aug 2012 Chief of Data Management Unit Phnom Penh, 92 Aug 2012 Checked by STI-RTI Unit

Mr. Mam Sovatha

Dr. Lon Say Heng